Printing date 05/14/2012

Reviewed on 05/11/2012

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

- Trade name: Pro Strip Light
- · Application of the substance / the preparation Oil stain remover

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier: **Deck Bright Opportunities** 996 Lambrecht Rd. A Frankfort, IL 60423 USA

Information department: Product Safety Department

Emergency telephone number: ChemTel Inc. (800)255-3924, (813)248-0585

2 Hazards identification

· Classification of the substance or mixture GHS03 Flame over circle Ox. Sol. 2 H272 May intensify fire; oxidizer. **GHS05** Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 GHS07 Acute Tox. 4 H302 Harmful if swallowed. STOT SE 3 H335 May cause respiratory irritation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC C; Corrosive R34: Causes burns. Xn; Harmful R22: Harmful if swallowed. Xi; Irritant R37: Irritating to respiratory system. O; Oxidizing R8: Contact with combustible material may cause fire. Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of international guidelines. **Classification system:** The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).

Printing date 05/14/2012

Trade name: Pro Strip Light

· Hazard pictograms



· Signal word Danger

• **Hazard-determining components of labelling:** disodium carbonate, compound with hydrogenperoxide (2:3) disodium metasilicate

• Hazard statements May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Take any precaution to avoid mixing with combustibles.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

Keep/Store away from clothing/combustible materials.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

Do no eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Wash contaminated clothing before reuse.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Rinse mouth.

In case of fire: Use for extinction: CO2, powder or water spray. Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description:

· WHMIS-symbols:

C - Oxidizing materials

D2B - Toxic material causing other toxic effects E - Corrosive material



Reviewed on 05/11/2012

(Contd. of page 1)

Printing date 05/14/2012

Trade name: Pro Strip Light

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2Fire = 2Reactivity = 2

The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 2

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
15630-89-4 disodium carbonate, compound with hydrogenperoxide (2:3) Xn R22; Xi R36/37/38; O R8 O X. Liq. 2, H272 Acute Tox. 3, H301 Skin Irrit. 2, H315; H319; STOT SE 3, H335	50-100%
6834-92-0 disodium metasilicate ☐ C R34; X IR37 ♦ Skin Corr. 1B, H314 ♦ STOT SE 3, H335	2.5-10%

4 First aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

- Rinse out mouth and then drink plenty of water.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

Reviewed on 05/11/2012

(Contd. of page 2)

Printing date 05/14/2012

Trade name: Pro Strip Light

Reviewed on 05/11/2012

(Contd. of page 3)

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiatory protective device. Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Product forms slippery surface when combined with water.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- \cdot Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Protect from humidity and water.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

 \cdot Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- \cdot Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Not necessary if room is well-ventilated.

(Contd. of page 4)

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 05/14/2012

Trade name: Pro Strip Light

Reviewed on 05/11/2012

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



Safety glasses

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information · Appearance:	
Form: Color: • Odor: • Odour threshold:	Powder White Odorless Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Contact with combustible material may cause fire.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not applicable. Not applicable.

(Contd. of page 5)

Reviewed on 05/11/2012

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 05/14/2012

Trade name: Pro Strip Light

 Solubility in / Miscibility with Water: 	Soluble.
· Segregation coefficient (n-octonol/wa	er): Not determined.
 Viscosity: Dynamic: Kinematic: Other information 	Not applicable. Not applicable. No further relevant information available.
0 Stability and reactivity	

- · Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Reacts with organic substances.

Acts as an oxidizing agent on organic materials such as wood, paper and fats.

- · Conditions to avoid No further relevant information available.
- \cdot Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Printing date 05/14/2012

Trade name: Pro Strip Light

Reviewed on 05/11/2012

(Contd. of page 6)

· Results of PBT and vPvB assessment	
• PBT: Not applicable.	

- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

 · UN-Number · DOT, ADR, IMDG, IATA · UN proper shipping name · DOT, IMDG, IATA · ADR · Transport hazard class(es) 	UN1479 OXIDIZING SOLID, N.O.S. 1479 OXIDIZING SOLID, N.O.S.
· Class · Label	5.1 Oxidising substances. 5.1
ADR	
· Class · Label	5.1 (O2) Oxidizing substances 5.1
· IMDG, IATA	
· Class · Label	5.1 Oxidising substances. 5.1
· Packing group	5.1
· DOT, ADR, IMDG, IATA · Environmental hazards:	III
· Marine pollutant:	No
· Special precautions for user	Warning: Oxidizing substances
Danger code (Kemler):	50
• EMS Number:	F-A,S-Q
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
	(Contd. on page 8)

Printing date 05/14/2012

Trade name: Pro Strip Light

Reviewed on 05/11/2012

· UN "Model Regulation":

UN1479, OXIDIZING SOLID, N.O.S., 5.1, III

(Contd. of page 7)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixtur	е
SARA	

 Section 355 (extremely hazardous subst 	ances):
--	---------

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

• MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

6834-92-0 disodium metasilicate

· GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).

· Hazard pictograms



Printing date 05/14/2012

Trade name: Pro Strip Light

Reviewed on 05/11/2012

(Contd. of page 8)

Hazard-determining components of labelling:
disodium carbonate, compound with hydrogenperoxide (2:3)
disodium metasilicate
· Hazard statements
May intensify fire; oxidizer.
Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause respiratory irritation.
Precautionary statements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Take any precaution to avoid mixing with combustibles.
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Do not breathe dust/fume/gas/mist/vapours/spray.
Keep/Store away from clothing/combustible materials.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling.
Do no eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
rinsing.
Immediately call a POISON CENTER or doctor/physician.
Specific treatment (see on this label).
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
Wash contaminated clothing before reuse.
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Rinse mouth.
In case of fire: Use for extinction: CO2, powder or water spray.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)